



British Woodworking Federation U-value Calculation Certificate

This is to certify that

LOMAX + WOOD LTD

of

**North Barn, Thoby Lane, Mountnessing,
Essex CM15 0SY**

has achieved a thermal transmittance U-value of:

1.2 W/m²K

for: **Kensington and Chelsea Flush Casement Window**

In accordance with calculations carried out on the BBA software tool, in compliance with BS EN ISO 10077-1:2006 using the following criteria:

Timber density: >500 kg/m³

Frame thickness, d_1 : 94 mm Casement thickness, d_2 : 56 mm

Thermal transmittance of glazing: 1.0 W/m²K

Double glazing cavity size: 16 mm

Gas filling: Argon

Low Emissivity coat: 0.01 x 1

Type and linear thermal transmittance of spacer: Warm edge 0.032 W/mK

Certificate Number: **BBA-BWF-061534-3**

Notified Body Name and Number: N/A

Date of issue: **January 2014**

The window dimensions are based on the test specimen size in accordance with BS EN 14351-1:2006+A1:2010 Table E.1. This U-value is not suitable to be used in window energy ratings calculations or U-value simulations according to BS EN ISO 10077-2. This certificate remains the property of BWF and shall be returned upon request.

The Building Centre, 26 Store Street, London WC1E 7BT

Tel: 0844 209 2610 • Fax 0844 209 2611

e-mail: bwf@bwf.org.uk • web: www.bwf.org.uk

A company limited by guarantee registered in England and Wales under number 5817473